

Computer Vision 2 – Lecture 7

Particle Filters – The Gritty Details (12.05.2016)


Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
leibe@vision.rwth-aachen.de, stueckler@vision.rwth-aachen.de

RWTH Aachen University, Computer Vision Group
<http://www.vision.rwth-aachen.de>



Content of the Lecture


- Single-Object Tracking
- Bayesian Filtering
 - Kalman Filters, EKF
 - Particle Filters
- Multi-Object Tracking
- Visual Odometry
- Visual SLAM & 3D Reconstruction



2 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler



Beyond Gaussian Error Models



3 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler

Figure from Isard & Blake



Topics of This Lecture

- Recap: Extended Kalman Filter
- Particle Filters: Detailed Derivation
 - Recap: Basic idea
 - Importance Sampling
 - Sequential Importance Sampling (SIS)
 - Transitional prior
 - Resampling
 - Generic Particle Filter
 - Sampling Importance Resampling (SIR)

4 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler



Recap: Kalman Filter – Detailed Algorithm

- Algorithm summary
 - Assumption: linear model

$$\mathbf{x}_t = \mathbf{D}_t \mathbf{x}_{t-1} + \boldsymbol{\varepsilon}_t$$

$$\mathbf{y}_t = \mathbf{M}_t \mathbf{x}_t + \delta_t$$
 - Prediction step

$$\mathbf{x}_t^- = \mathbf{D}_t \mathbf{x}_{t-1}^+$$

$$\boldsymbol{\Sigma}_t^- = \mathbf{D}_t \boldsymbol{\Sigma}_{t-1}^+ \mathbf{D}_t^T + \boldsymbol{\Sigma}_{d_t}$$
 - Correction step

$$\mathbf{K}_t = \boldsymbol{\Sigma}_t^- \mathbf{M}_t^T (\mathbf{M}_t \boldsymbol{\Sigma}_t^- \mathbf{M}_t^T + \boldsymbol{\Sigma}_{m_t})^{-1}$$

$$\mathbf{x}_t^+ = \mathbf{x}_t^- + \mathbf{K}_t (\mathbf{y}_t - \mathbf{M}_t \mathbf{x}_t^-)$$

$$\boldsymbol{\Sigma}_t^+ = (\mathbf{I} - \mathbf{K}_t \mathbf{M}_t) \boldsymbol{\Sigma}_t^-$$

5 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler



Extended Kalman Filter (EKF)

- Algorithm summary
 - Nonlinear model

$$\mathbf{x}_t = \mathbf{g}(\mathbf{x}_{t-1}) + \boldsymbol{\varepsilon}_t$$

$$\mathbf{y}_t = \mathbf{h}(\mathbf{x}_t) + \delta_t$$

with the Jacobians
 - Prediction step

$$\mathbf{x}_t^- = \mathbf{g}(\mathbf{x}_{t-1}^+)$$

$$\boldsymbol{\Sigma}_t^- = \mathbf{G}_t \boldsymbol{\Sigma}_{t-1}^+ \mathbf{G}_t^T + \boldsymbol{\Sigma}_{d_t}$$

$\mathbf{G}_t = \left. \frac{\partial \mathbf{g}(\mathbf{x})}{\partial \mathbf{x}} \right|_{\mathbf{x}=\mathbf{x}_{t-1}^+}$
 - Correction step

$$\mathbf{K}_t = \boldsymbol{\Sigma}_t^- \mathbf{H}_t^T (\mathbf{H}_t \boldsymbol{\Sigma}_t^- \mathbf{H}_t^T + \boldsymbol{\Sigma}_{m_t})^{-1}$$

$$\mathbf{x}_t^+ = \mathbf{x}_t^- + \mathbf{K}_t (\mathbf{y}_t - \mathbf{h}(\mathbf{x}_t^-))$$

$$\boldsymbol{\Sigma}_t^+ = (\mathbf{I} - \mathbf{K}_t \mathbf{H}_t) \boldsymbol{\Sigma}_t^-$$

$\mathbf{H}_t = \left. \frac{\partial \mathbf{h}(\mathbf{x})}{\partial \mathbf{x}} \right|_{\mathbf{x}=\mathbf{x}_t^-}$

6 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler




Topics of This Lecture

- Recap: Extended Kalman Filter
- Particle Filters: Detailed Derivation
 - Recap: Basic idea
 - Importance Sampling
 - Sequential Importance Sampling (SIS)
 - Transitional prior
 - Resampling
 - Generic Particle Filter
 - Sampling Importance Resampling (SIR)

7 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler



Recap: Propagation of General Densities




8 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler

Figure from Isard & Blake



Recap: Factored Sampling



- Idea: Represent state distribution non-parametrically
 - Prediction: Sample points from prior density for the state, $P(X)$
 - Correction: Weight the samples according to $P(Y|X)$


$$P(X_t | y_0, \dots, y_t) = \frac{P(y_t | X_t)P(X_t | y_0, \dots, y_{t-1})}{\int P(y_t | X_t)P(X_t | y_0, \dots, y_{t-1})dX_t}$$

9 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide credit: Svetlana Lazebnik



Particle Filtering

- Many variations, one general concept:
 - Represent the posterior pdf by a set of randomly chosen weighted samples (particles)



- Randomly Chosen = Monte Carlo (MC)
- As the number of samples become very large – the characterization becomes an equivalent representation of the true pdf.

10 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Michael Rubinfeld



Particle filtering

- Compared to Kalman Filters and their extensions
 - Can represent any arbitrary distribution
 - Multimodal support
 - Keep track of as many hypotheses as there are particles
 - Approximate representation of complex model rather than exact representation of simplified model
- The basic building-block: *Importance Sampling*


11 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Michael Rubinfeld



Recap: Monte-Carlo Sampling

- Objective:
 - Evaluate expectation of a function $f(z)$ w.r.t. a probability distribution $p(z)$.
$$\mathbb{E}[f] = \int f(z)p(z)dz$$
- Monte Carlo Sampling idea
 - Draw L independent samples $z^{(l)}$ with $l = 1, \dots, L$ from $p(z)$.
 - This allows the expectation to be approximated by a finite sum
$$\hat{f} = \frac{1}{L} \sum_{l=1}^L f(z^{(l)})$$
 - As long as the samples $z^{(l)}$ are drawn independently from $p(z)$, then $\mathbb{E}[\hat{f}] = \mathbb{E}[f]$

\Rightarrow Unbiased estimate, independent of the dimension of z !



12 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Beetz-Schiele. Image source: C.M. Bishop, 2006



Monte Carlo Integration

- We can use the same idea for computing integrals
 - Assume we are trying to estimate a complicated integral of a function f over some domain D :

$$F = \int_D f(\vec{x})d\vec{x}$$
 - Also assume there exists some PDF p defined over D . Then

$$F = \int_D f(\vec{x})d\vec{x} = \int_D \frac{f(\vec{x})}{p(\vec{x})} p(\vec{x})d\vec{x}$$
 - For any pdf p over D , the following holds

$$\int_D \frac{f(\vec{x})}{p(\vec{x})} p(\vec{x})d\vec{x} = E\left[\frac{f(\vec{x})}{p(\vec{x})}\right], x \sim p$$

13 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Michael Rubinfeld

Monte Carlo Integration

- Idea (cont'd)
 - Now, if we have i.i.d random samples x_1, \dots, x_N sampled from p , then we can approximate the expectation

$$E\left[\frac{f(\vec{x})}{p(\vec{x})}\right]$$
 - by


$$F_N = \frac{1}{N} \sum_{i=1}^N \frac{f(\vec{x}_i)}{p(\vec{x}_i)}$$
 - Guaranteed by law of large numbers:

$$N \rightarrow \infty, F_N \xrightarrow{a.s.} E\left[\frac{f(\vec{x})}{p(\vec{x})}\right] = F$$
 - Since it guides sampling, p is often called a **proposal distribution**.

14 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Michael Rubinfeld

Importance Sampling

- Let's consider an example


$$F_N = \frac{1}{N} \sum_{i=1}^N \frac{f(\vec{x}_i)}{p(\vec{x}_i)}$$

 - f/p is the **importance weight** of a sample.
 - What can go wrong here?
- What if $p(x)=0$?
 - If p is very small, then f/p can get arbitrarily large!
 - ⇒ Design p such that f/p is bounded.
 - Effect: get more samples in "important" areas of f , i.e., where f is large.

15 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Michael Rubinfeld. Image source: C.M. Bishop, 2006.

Proposal Distributions: Other Uses

- Similar Problem
 - For many distributions, sampling directly from $p(\mathbf{z})$ is difficult.
 - But we can often easily **evaluate** $p(\mathbf{z})$ (up to some normalization factor Z_p):

$$p(\mathbf{z}) = \frac{1}{Z_p} \tilde{p}(\mathbf{z})$$
- Idea
 - Take some simpler distribution $q(\mathbf{z})$ as **proposal distribution** from which we can draw samples and which is non-zero.



16 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Bernd Schödl. Image source: C.M. Bishop, 2006.


Recap: Importance Sampling

- Idea
 - Use a proposal distribution $q(\mathbf{z})$ from which it is easy to draw samples and which is close in shape to f .
 - Express expectations in the form of a finite sum over samples $\{\mathbf{z}^{(l)}\}$ drawn from $q(\mathbf{z})$.

$$E[f] = \int f(\mathbf{z})p(\mathbf{z})d\mathbf{z} = \int f(\mathbf{z})\frac{p(\mathbf{z})}{q(\mathbf{z})}q(\mathbf{z})d\mathbf{z}$$


$$\simeq \frac{1}{L} \sum_{l=1}^L \frac{p(\mathbf{z}^{(l)})}{q(\mathbf{z}^{(l)})} f(\mathbf{z}^{(l)})$$
 - with importance weights

$$r_l = \frac{p(\mathbf{z}^{(l)})}{q(\mathbf{z}^{(l)})}$$



17 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Slide adapted from Bernd Schödl. Image source: C.M. Bishop, 2006.

Illustration of Importance Factors



- Goal: Approximate target density f

19 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
 Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
 Figure source: Thrun, Burgard, Fox

Illustration of Importance Factors

• Goal: Approximate target density f

- Instead of sampling from f directly, we can only sample from g .

20 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Figure source: Thrun, Burgard, Fox

Illustration of Importance Factors

• Goal: Approximate target density f

- Instead of sampling from f directly, we can only sample from g .
- A sample of f is obtained by attaching the weight f/g to each sample x

21 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Figure source: Thrun, Burgard, Fox

Illustration of Importance Factors

Tracking application: Posterior of the current frame (red arrow pointing to f)
Tracking application: Posterior from the previous frame (green arrow pointing to g)

• Goal: Approximate target density f

- Instead of sampling from f directly, we can only sample from g .
- A sample of f is obtained by attaching the weight f/g to each sample x

22 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Figure source: Thrun, Burgard, Fox

Importance Sampling for Bayesian Estimation

$$\mathbb{E}[f(X)] = \int_X f(x_{0:t}) p(x_{0:t} | y_{1:t}) dx_{0:t}$$

$$= \int_X f(x_{0:t}) \frac{p(x_{0:t} | y_{1:t})}{q(x_{0:t} | y_{1:t})} q(x_{0:t} | y_{1:t}) dx_{0:t}$$

• Applying Importance Sampling

- Characterize the posterior pdf using a set of samples (particles) and their weights

$$\{x_{0:t}^i, w_t^i\}_{i=1}^N$$

- Then the joint posterior is approximated by

$$p(x_{0:t} | y_{1:t}) \approx \sum_{i=1}^N w_t^i \delta(x_{0:t} - x_{0:t}^i)$$

23 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinfeld

Importance Sampling for Bayesian Estimation

$$\mathbb{E}[f(X)] = \int_X f(x_{0:t}) p(x_{0:t} | y_{1:t}) dx_{0:t}$$

$$= \int_X f(x_{0:t}) \frac{p(x_{0:t} | y_{1:t})}{q(x_{0:t} | y_{1:t})} q(x_{0:t} | y_{1:t}) dx_{0:t}$$

• Applying Importance Sampling

- Draw the samples from the importance density $q(x_{0:t} | y_{1:t})$ with importance weights

$$w_t^i \propto \frac{p(x_{0:t} | y_{1:t})}{q(x_{0:t} | y_{1:t})}$$

- Sequential update (after some calculation)

- Particle update $x_t \sim q(x_t | x_{t-1}^i, y_t)$
- Weight update $w_t^i = w_{t-1}^i \frac{p(y_t | x_t^i) p(x_t^i | x_{t-1}^i)}{q(x_t | x_{t-1}^i, y_t)}$

24 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinfeld

Sequential Importance Sampling Algorithm

function $[\{x_t^i, w_t^i\}_{i=1}^N] = SIS [\{x_{t-1}^i, w_{t-1}^i\}_{i=1}^N, y_t]$

$\eta = 0$ Initialize

for $i = 1:N$

$x_t^i \sim q(x_t | x_{t-1}^i, y_t)$ Sample from proposal pdf

$w_t^i = w_{t-1}^i \frac{p(y_t | x_t^i) p(x_t^i | x_{t-1}^i)}{q(x_t | x_{t-1}^i, y_t)}$ Update weights

$\eta = \eta + w_t^i$ Update norm. factor

end

for $i = 1:N$

$w_t^i = w_t^i / \eta$ Normalize weights

end

25 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinfeld

Sequential Importance Sampling Algorithm

```

function  $\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N = SIS \left[ \{\mathbf{x}_{t-1}^i, w_{t-1}^i\}_{i=1}^N, \mathbf{y}_t \right]$ 
 $\eta = 0$  Initialize
for  $i = 1:N$ 
     $\mathbf{x}_t^i \sim q(\mathbf{x}_t | \mathbf{x}_{t-1}^i, \mathbf{y}_t)$  Sample from proposal pdf
     $w_t^i = w_{t-1}^i \frac{p(\mathbf{y}_t | \mathbf{x}_t^i) p(\mathbf{x}_t^i | \mathbf{x}_{t-1}^i)}{q(\mathbf{x}_t | \mathbf{x}_{t-1}^i, \mathbf{y}_t)}$  Update weights
     $\eta = \eta + w_t^i$  Update norm. factor
end
for  $i = 1:N$ 
     $w_t^i = w_t^i / \eta$  Normalize weights
end
    
```

For a concrete algorithm, we need to define the importance density $q(\cdot, \cdot)$!

26 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinstein

Choice of Importance Density

- Most common choice
 - Transitional prior

$$q(\mathbf{x}_t | \mathbf{x}_{t-1}^i, \mathbf{y}_t) = p(\mathbf{x}_t | \mathbf{x}_{t-1}^i)$$
 - With this choice, the weight update reduces to

$$w_t^i = w_{t-1}^i \frac{p(\mathbf{y}_t | \mathbf{x}_t^i) p(\mathbf{x}_t^i | \mathbf{x}_{t-1}^i)}{q(\mathbf{x}_t | \mathbf{x}_{t-1}^i, \mathbf{y}_t)}$$

$$= w_{t-1}^i \frac{p(\mathbf{y}_t | \mathbf{x}_t^i) p(\mathbf{x}_t^i | \mathbf{x}_{t-1}^i)}{p(\mathbf{x}_t | \mathbf{x}_{t-1}^i)}$$
 - $w_{t-1}^i p(\mathbf{y}_t | \mathbf{x}_t^i)$

27 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler

SIS Algorithm with Transitional Prior

```

function  $\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N = SIS \left[ \{\mathbf{x}_{t-1}^i, w_{t-1}^i\}_{i=1}^N, \mathbf{y}_t \right]$ 
 $\eta = 0$  Initialize
for  $i = 1:N$ 
     $\mathbf{x}_t^i \sim p(\mathbf{x}_t | \mathbf{x}_{t-1}^i)$  Sample from proposal pdf
     $w_t^i = w_{t-1}^i p(\mathbf{y}_t | \mathbf{x}_t^i)$  Update weights
     $\eta = \eta + w_t^i$  Update norm. factor
end
for  $i = 1:N$ 
     $w_t^i = w_t^i / \eta$  Normalize weights
end
    
```

28 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinstein

Implementation of Sampling Step

```

function  $\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N = SIS \left[ \{\mathbf{x}_{t-1}^i, w_{t-1}^i\}_{i=1}^N, \mathbf{y}_t \right]$ 
 $\eta = 0$  Initialize
for  $i = 1:N$ 
    Draw  $\mathbf{e}_t^i$  from noise distribution Sample from proposal pdf
     $\mathbf{x}_t^i = \mathbf{g}(\mathbf{x}_{t-1}^i) + \mathbf{e}_t^i$  Sample from proposal pdf
     $w_t^i = w_{t-1}^i p(\mathbf{y}_t | \mathbf{x}_t^i)$  Update weights
     $\eta = \eta + w_t^i$  Update norm. factor
end
for  $i = 1:N$ 
     $w_t^i = w_t^i / \eta$  Normalize weights
end
    
```

29 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinstein

The Degeneracy Phenomenon

- Unavoidable problem with SIS
 - After a few iterations, most particles have negligible weights.
 - Large computational effort for updating particles with very small contribution to $p(\mathbf{x}_t | \mathbf{y}_{1:t})$.
- Measure of degeneracy
 - Effective sample size

$$N_{eff} = \frac{1}{\sum_{i=1}^N (w_t^i)^2}$$
 - Uniform: $N_{eff} = N$
 - Severe degeneracy: $N_{eff} = 1$

30 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinstein

Resampling

- Idea
 - Eliminate particles with low importance weights and increase the number of particles with high importance weight.

$$\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N \rightarrow \left\{ \mathbf{x}_t^{i*}, \frac{1}{N} \right\}_{i=1}^N$$
 - The new set is generated by sampling with replacement from the discrete representation of $p(\mathbf{x}_t | \mathbf{y}_{1:t})$ such that

$$Pr \left\{ \mathbf{x}_t^{i*} = \mathbf{x}_t^j \right\} = w_t^j$$

31 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinstein

Resampling

- How to do that in practice?
 - We want to resample $\{\mathbf{x}_t^i\}_{i=1}^N$ from the discrete pdf given by the weighted samples $\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N$
 - I.e., we want to draw N new samples $\{\mathbf{x}_t^i\}_{i=1}^N$ with replacement where the probability of drawing \mathbf{x}_t^j is given by w_t^j .
- There are many algorithms for this
 - We will look at two simple algorithms here...

32 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler

Inverse Transform Sampling

- Idea
 - It is easy to sample from a discrete distribution using the cumulative distribution function $F(x) = p(X \leq x)$

$$c(k) = \sum_{i=1}^k w_i / \sum_{i=1}^N w_i$$

35 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Robert Collins

Inverse Transform Sampling

- Idea
 - It is easy to sample from a discrete distribution using the cumulative distribution function $F(x) = p(X \leq x)$
- Procedure
 - Generate uniform u in the range $[0,1]$.
 - Visualize a horizontal line intersecting the bars.
 - If index of intersected bar is j , output new sample \mathbf{x}_j .

$$c(k) = \sum_{i=1}^k w_i / \sum_{i=1}^N w_i$$

36 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Robert Collins

More Efficient Approach

- From Arulampalam paper:
 - Algorithm 2: Resampling Algorithm
 - $[\{\mathbf{x}_t^j, w_t^j\}_{j=1}^{N_s}] = \text{RESAMPLE} [\{\mathbf{x}_t^i, w_t^i\}_{i=1}^{N_s}]$
 - Initialize the CDF: $c_1 = 0$
 - FOR $i = 2: N_s$
 - Construct CDF: $c_i = c_{i-1} + w_t^i$
 - END FOR
 - Start at the bottom of the CDF: $i = 1$
 - Draw a starting point: $u_1 \sim \mathcal{U}[0, N_s^{-1}]$
 - FOR $j = 1: N_s$
 - Move along the CDF: $w_j = u_1 + N_s^{-1}(j-1)$
 - WHILE $w_j > c_i$
 - $i = i + 1$
 - END WHILE
 - Assign sample: $\mathbf{x}_t^j = \mathbf{x}_t^i$
 - Assign weight: $w_t^j = N_s^{-1}$
 - Assign parent: $\psi_t^j = i$
 - END FOR

Basic idea: choose one initial small random number; deterministically sample the rest by "crawling" up the cdf. This is $\mathcal{O}(N)$!

37 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Robert Collins

Generic Particle Filter

```

function  $[\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N] = PF [\{\mathbf{x}_{t-1}^i, w_{t-1}^i\}_{i=1}^N, \mathbf{y}_t]$ 
Apply SIS filtering  $[\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N] = SIS [\{\mathbf{x}_{t-1}^i, w_{t-1}^i\}_{i=1}^N, \mathbf{y}_t]$ 
Calculate  $N_{eff}$ 
if  $N_{eff} < N_{thr}$ 
 $[\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N] = \text{RESAMPLE} [\{\mathbf{x}_t^i, w_t^i\}_{i=1}^N]$ 
end
    
```

- We can also apply resampling selectively
 - Only resample when it is needed, i.e., N_{eff} is too low.
 - ⇒ Avoids drift when the tracked state is stationary.

39 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinsten

Sampling-Importance-Resampling (SIR)

```

function  $\mathcal{X}_t = SIR [\mathcal{X}_{t-1}, \mathbf{y}_t]$ 
 $\bar{\mathcal{X}}_t = \mathcal{X}_t = \emptyset$  Initialize
for  $i = 1:N$ 
Sample  $\mathbf{x}_t^i \sim p(\mathbf{x}_t | \mathbf{x}_{t-1}^i)$  Generate new samples
 $w_t^i = p(\mathbf{y}_t | \mathbf{x}_t^i)$  Update weights
end
for  $i = 1:N$ 
Draw  $i$  with probability  $\propto w_t^i$  Resample
Add  $\mathbf{x}_t^i$  to  $\mathcal{X}_t$ 
end
    
```

40 Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinsten

Other Variant of the Algorithm

function $[\mathcal{X}_i] = SIR [\mathcal{X}_{i-1}, \mathbf{y}_i]$

$\bar{\mathcal{X}}_i = \mathcal{X}_i = \emptyset$

for $i = 1:N$

Sample $\mathbf{x}_i^k \sim p(\mathbf{x}_i | \mathbf{x}_{i-1}^k)$

$w_i^k = p(\mathbf{y}_i | \mathbf{x}_i^k)$

end

for $i = 1:N$

Draw i with probability

 Add \mathbf{x}_i^i to \mathcal{X}_i

end

Important property:

Particles are distributed according to pdf from previous time step.


Particles are distributed according to posterior from this time step.

41

Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide adapted from Michael Rubinfeld



Recap: Condensation Algorithm



M. Isard and A. Blake, *CONDENSATION -- conditional density propagation for visual tracking*, IJCV 29(1):5-28, 1998

42

Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler
Slide credit: Stefano Lazebnik



Summary: Particle Filtering

• Pros:

- Able to represent arbitrary densities
- Converging to true posterior even for non-Gaussian and nonlinear system
- Efficient: particles tend to focus on regions with high probability
- Works with many different state spaces
 - E.g. articulated tracking in complicated joint angle spaces
- Many extensions available

43

Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler



Summary: Particle Filtering

• Cons / Caveats:

- #Particles is important performance factor
 - Want as few particles as possible for efficiency.
 - But need to cover state space sufficiently well.
- Worst-case complexity grows exponentially in the dimensions
- Multimodal densities possible, but still single object
 - Interactions between multiple objects require special treatment.
 - Not handled well in the particle filtering framework (state space explosion).


44

Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler



References and Further Reading

- A good description of Particle Filters can be found in Ch.4.3 of the following book
 - S. Thrun, W. Burgard, D. Fox. [Probabilistic Robotics](#). MIT Press, 2006.
- A good tutorial on Particle Filters
 - M.S. Arulampalam, S. Maskell, N. Gordon, T. Clapp. [A Tutorial on Particle Filters for Online Nonlinear/Non-Gaussian Bayesian Tracking](#). In *IEEE Transactions on Signal Processing*, Vol. 50(2), pp. 174-188, 2002.
- The CONDENSATION paper
 - M. Isard and A. Blake, [CONDENSATION - conditional density propagation for visual tracking](#), IJCV 29(1):5-28, 1998



45

Lecture: Computer Vision 2 (SS 2016) – Particle Filters
Prof. Dr. Bastian Leibe, Dr. Jörg Stückler

